






800 x 3000 MM






Squared ridge at 45°




Rounded ridge at 45°



Straight squared ridge





Rounded straight ridge




Double straight squared ridge



Double straight rounded ridge



L-shaped squared ridge



L-shaped rounded ridge

EDGE PROFILE

Due to their throughout-body features, slabs can be machined on the edges with different finishes, which makes them ideal for the creation of new furniture and design solutions for kitchens. Rounded or with 45° bevelled edges, furnishings seemingly fashioned from a single block can be created by fitting two slabs together with a mitre joint. Edge machining is usually done with tools and machines commonly used in natural stone and glass working, such as diamond disks or the most advanced numerically controlled machines. The same machining is used in the design of bathroom washbasins and kitchen sinks, for either undermount versions, with squared and bevelled edges bisellati, models fitted flush with the top, or overmount versions with chamfered edges.



Resistant to staining



Impact Resistant



Acid Resistant



Thermal Shock Resistant



Easy to clean



Frost Resistant

1.5 cm Thickness



Kitchen Top : Statuario Milano
Size : 800x3000mm / Finish : Lisciare Surface



Resistant to staining



Impact Resistant



Acid Resistant



Thermal Shock Resistant



Easy to clean



Frost Resistant

1.5 cm Thickness



STATUARIO MILANO
WHITE

800x3000 mm
LISCIARE SURFACE




STATUARIO SUPER
WHITE

800x3000 mm
LISCIARE SURFACE



STATUARIO SILK
WHITE

800x3000 mm
LISCIARE SURFACE



STATUARIO MACCHIA
WHITE

800x3000 mm
LISCIARE SURFACE

15 mm Thickness

15 mm Thickness



Resistant to staining



Impact Resistant



Acid Resistant



Thermal Shock Resistant



Easy to clean



Frost Resistant

1.5 cm Thickness



Wall & Kitchen Top : Statuario Macchia
Size : 800x3000mm / Finish : Lisciare Surface

- Resistant to staining
- Impact Resistant
- Acid Resistant
- Thermal Shock Resistant
- Easy to clean
- Frost Resistant

1.5 cm Thickness



Wall & Table Top : Invisible
Size : 800x3000mm / Finish : Lisciare Surface



Resistant to staining



Impact Resistant



Acid Resistant



Thermal Shock Resistant



Easy to clean



Frost Resistant

1.5 cm Thickness

MAPS
GRANITO
Evoluzione Ceramica



NAVONA BIANCO
WHITE

800x3000 mm
LISCIARE SURFACE




MODERN STATUARIO
WHITE

800x3000 mm
LISCIARE SURFACE



INVISIBLE
WHITE

800x3000 mm
LISCIARE SURFACE



CALACUTTA
WHITE

800x3000 mm
LISCIARE SURFACE

15 mm Thickness

15 mm Thickness



Resistant to staining



Impact Resistant



Acid Resistant



Thermal Shock Resistant



Easy to clean



Frost Resistant

1.5 cm Thickness



Wall & Table Top : Calacutta
Size : 800x3000mm / Finish : Lisciare Surface



Resistant to staining



Impact Resistant



Acid Resistant



Thermal Shock Resistant



Easy to clean



Frost Resistant

1.5 cm Thickness



Wall & Floor & Table Top : Carrara Venato
Size : 800x3000mm / Finish : Lisciare Surface



Resistant to staining



Impact Resistant



Acid Resistant



Thermal Shock Resistant



Easy to clean



Frost Resistant

1.5 cm Thickness



CARRARA VENATO
WHITE

800x3000 mm
LISCIARE SURFACE




CARRERA ULTIMO
WHITE

800x3000 mm
LISCIARE SURFACE



ARABESCATO CORCHIA
WHITE

800x3000 mm
LISCIARE SURFACE



BIANCO LASA
WHITE

800x3000 mm
LISCIARE SURFACE

15 mm Thickness

15 mm Thickness



Resistant to staining



Impact Resistant



Acid Resistant



Thermal Shock Resistant



Easy to clean



Frost Resistant

1.5 cm Thickness



Wall & Floor & Table Top & Kitchen Top : Arabescato Corchia
Size : 800x3000mm / Finish : Lisciare Surface

- Resistant to staining
- Impact Resistant
- Acid Resistant
- Thermal Shock Resistant
- Easy to clean
- Frost Resistant

1.5 cm Thickness



Table Top & Kitchen Top : Nero Marquinia
Size : 800x3000mm / Finish : Lisciare Surface



Resistant to staining



Impact Resistant



Acid Resistant



Thermal Shock Resistant



Easy to clean



Frost Resistant

1.5 cm Thickness




BORGHINI BIANCO
WHITE

800x3000 mm
LISCIARE SURFACE



BORGHINI BLACK
BLACK

800x3000 mm
LISCIARE SURFACE



NERO MARQUINIA
BLACK

800x3000 mm
LISCIARE SURFACE



MARQUINIA FULMINE
BLACK

800x3000 mm
LISCIARE SURFACE

15 mm Thickness

15 mm Thickness



Resistant to staining



Impact Resistant



Acid Resistant



Thermal Shock Resistant



Easy to clean



Frost Resistant

1.5 cm Thickness



Table Top & Wall : Marquinia Fulmine
Size : 800x3000mm / Finish : Lisciare Surface

- Resistant to staining
- Impact Resistant
- Acid Resistant
- Thermal Shock Resistant
- Easy to clean
- Frost Resistant

1.5 cm Thickness



Table Top & Kitchen Wall : Noir Desire
Size : 800x3000mm / Finish : Lisciare Surface



Resistant to staining



Impact Resistant



Acid Resistant



Thermal Shock Resistant



Easy to clean



Frost Resistant

1.5 cm Thickness



NOIR DESIRE
BLACK

800x3000 mm
LISCIARE SURFACE



SAHARA NOIR
BLACK

800x3000 mm
LISCIARE SURFACE



MAGISTIC GRIGIO
GREY

800x3000 mm
LISCIARE SURFACE



ELEGANT STONE
GREY

800x3000 mm
LISCIARE SURFACE

15 mm Thickness

15 mm Thickness

- Resistant to staining
- Impact Resistant
- Acid Resistant
- Thermal Shock Resistant
- Easy to clean
- Frost Resistant

1.5 cm Thickness



Table Top & Wall : Magistic Grigio
Size : 800x3000mm / Finish : Lisciare Surface

- Resistant to staining
- Impact Resistant
- Acid Resistant
- Thermal Shock Resistant
- Easy to clean
- Frost Resistant

1.5 cm Thickness



Table Top & Floor & Wall : Pietra Grey
Size : 800x3000mm / Finish : Lisciare Surface



Resistant to staining



Impact Resistant



Acid Resistant



Thermal Shock Resistant



Easy to clean



Frost Resistant

1.5 cm Thickness



PIETRA GREY
GREY

800x3000 mm
LISCIARE SURFACE



KORTEN CONCRETE
GREY

800x3000 mm
LISCIARE SURFACE



KORTEN AVORIO
CREMA

800x3000 mm
LISCIARE SURFACE



KORTEN MOCHA
MOCHA BROWN

800x3000 mm
LISCIARE SURFACE

15 mm Thickness

15 mm Thickness

- Resistant to staining
- Impact Resistant
- Acid Resistant
- Thermal Shock Resistant
- Easy to clean
- Frost Resistant

1.5 cm Thickness




Wash Basin & Floor & Wall : Korten Concrete
Size : 800x3000mm / Finish : Lisciare Surface

- Resistant to staining
- Impact Resistant
- Acid Resistant
- Thermal Shock Resistant
- Easy to clean
- Frost Resistant

1.5 cm Thickness



Table Top & Wall : Ocean Black & Ocean Steel
Size : 800x3000mm / Finish : Lisciare Surface



OCEAN WHITE
CREMA

800x3000 mm
LISCIARE SURFACE



OCEAN BLACK
BLACK

800x3000 mm
LISCIARE SURFACE



OCEAN STEEL
GREY

800x3000 mm
LISCIARE SURFACE



OCEAN BRUNO
CHOCO BROWN

800x3000 mm
LISCIARE SURFACE



Resistant to staining



Impact Resistant



Acid Resistant



Thermal Shock Resistant



Easy to clean



Frost Resistant

1.5 cm Thickness



Table Top & Wall : Ocean White & Table Top & Kitchen Top : Ocean Bruno
Size : 800x3000mm / Finish : Lisciare Surface

- Resistant to staining
- Impact Resistant
- Acid Resistant
- Thermal Shock Resistant
- Easy to clean
- Frost Resistant

1.5 cm Thickness



Table Top & Kitchen Top : Oxide Fossil
Size : 800x3000mm / Finish : Lisciare Surface



Resistant to staining



Impact Resistant



Acid Resistant



Thermal Shock Resistant




Easy to clean



Frost Resistant

1.5 cm Thickness



OXIDE AVORIO
CREMA

800x3000 mm
LISCIARE SURFACE



OXIDE FOSSIL
GREY

800x3000 mm
LISCIARE SURFACE



OXIDE STEEL
GREY

800x3000 mm
LISCIARE SURFACE



OXIDE NERO
BLACK

800x3000 mm
LISCIARE SURFACE

15 mm Thickness

15 mm Thickness

- Resistant to staining
- Impact Resistant
- Acid Resistant
- Thermal Shock Resistant
- Easy to clean
- Frost Resistant

1.5 cm Thickness




Table Top & Kitchen Top & Wall : Oxide Steel & Table Top : Oxide Nero
Size : 800x3000mm / Finish : Lisciare Surface



Resistant to staining



Impact Resistant



Acid Resistant



Thermal Shock Resistant



Easy to clean



Frost Resistant

1.5 cm Thickness



Table Top & Kitchen Top : Oxide Bruno & Wall : Oxide Avorio
Size : 800x3000mm / Finish : Lisciare Surface



Resistant to staining



Impact Resistant



Acid Resistant



Thermal Shock Resistant



Easy to clean



Frost Resistant

1.5 cm Thickness



OXIDE MOCHA
MOCHA BROWN

800x3000 mm
LISCIARE SURFACE



OXIDE BRUNO
CHOCO BROWN

800x3000 mm
LISCIARE SURFACE



SHEFFIELD GREY
GREY

800x3000 mm
LISCIARE SURFACE



SHEFFIELD MOCHA
MOCHA BROWN

800x3000 mm
LISCIARE SURFACE

15 mm Thickness

15 mm Thickness

- Resistant to staining
- Impact Resistant
- Acid Resistant
- Thermal Shock Resistant
- Easy to clean
- Frost Resistant

1.5 cm Thickness



Table Top & Kitchen Top & Wall : Sheffield Mocha & Kitchen Desk : Sheffield Grey
Size : 800x3000mm / Finish : Lisciare Surface

- Resistant to staining
- Impact Resistant
- Acid Resistant
- Thermal Shock Resistant
- Easy to clean
- Frost Resistant

1.5 cm Thickness



Table Top & Kitchen Top : Arizona Nero & Kitchen Desk : Oxide Mocha
Size : 800x3000mm / Finish : Lisciare Surface



ARIZONA NERO BLACK

800x3000 mm
LISCIARE SURFACE

 15 mm Thickness

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	MEAN VALUE	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(15mm)	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4 / Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2 / Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(¹²) / ≥P ^{1(12,24)}	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

** Except Hydrofluoric Acid & it's compound

Tiles Intended for use on floor

As per customer requirement

PACKING DETAIL

SIZE	THICKNESS	NO. OF SLAB/BOX	WEIGHT/BOX	COVERAGE AREA
800x3000 mm	15 mm	1 Pcs.	87 KG _(approx)	25.83 Sq. ft.

CLEANING TIPS

TYPE OF DIRT		DETERGENT/SOLVENT	APPLICATION
		FILA	FILA
		FABER	FABER
GREASE	Degreasing detergent	PS87 PRO	Damp cloth
		Deep Degreaser	White pad
COFFEE	Degreasing detergent	PS87 PRO	Damp cloth
		Coloured Stain Remover	Direct application
WINE	Degreasing detergent	PS87 PRO o SR95	Damp cloth
		Coloured Stain Remover	Direct application
BEER	Degreasing detergent	PS87 PRO	Damp cloth
		Tile Cleaner	White pad
FRUIT JUICE	Degreasing detergent	PS87 PRO	Damp cloth
		Tile Cleaner	White pad
COCA COLA	Degreasing detergent	PS87 PRO	Damp cloth
		Tile Cleaner	White pad
INK	Degreasing detergent	PS87 PRO o SR95	Damp cloth
		Coloured Stain Remover	Direct application
VOMIT	Degreasing detergent	PS87 PRO	Damp cloth
		Tile Cleaner	White pad
ICE CREAM	Degreasing detergent	PS87 PRO	Damp cloth
		Deep Degreaser	White pad
FELT TIP PEN	Degreasing detergent	PS87 PRO	Damp cloth
		Coloured Stain Remover	Direct application
BLOOD	Degreasing detergent	PS87 PRO	Damp cloth
		Coloured Stain Remover	Direct application
RUBBER	Degreasing detergent	PS87 PRO	Damp anti-scratch Scotch Brite
		Solvent Stripper	White pad

TYPE OF DIRT		DETERGENT/SOLVENT	APPLICATION
		FILA	FILA
		FABER	FABER
SUCTION CUPS	Degreasing detergent	PS87 PRO	Melamine Sponge
		Epoxy Cleaner	Melamine Sponge
RUST	Detergent for rust removal	NORUST	Damp anti-scratch Scotch Brite
		Cement Remover	White pad
SILICONE	Detergent for silicone removal	ZEROSIL	Damp anti-scratch Scotch Brite
		Epoxy Cleaner	White pad
WAXES AND RESINS	Solvent	SOLV o ZEROSIL	Damp anti-scratch Scotch Brite
		Wax Remover	White pad
ALUMINUM MARKS	Descaling detergent	DETERDEK PRO	Damp anti-scratch Scotch Brite
		Tile Cleaner	White pad
PENCIL MARKS	Descaling detergent	DETERDEK PRO	Damp anti-scratch Scotch Brite
		Tile Cleaner	White pad
LIMESCALE	Descaling detergent	DETERDEK PRO	Damp anti-scratch Scotch Brite
		Cement Remover	

THANKS



Sr. No. 98-1, At Unchi Mandal Halvad Road, Morbi-363642 (Gujarat)
+91 99794 94000
info@mapsgranito.com